Railing



Product



Specialize In


Duplex and Villas
Corporate Office Buildings
Medical Office Buildings / Healthcare
School & Universities
Hotels, Resorts & Condominiums
Places of Worship & Religious Facilities
Large-Scale Entertainment Venues
Shopping Mall / Retail Developments



BRACKET & COVER SYSTEM







GLASS HEIGHT	30"	33"	36"	39"	42"
RAILING LENGTH	✓	✓	✓	48'	36'











BRACKET & COVER SYSTEM







GLASS HEIGHT	24"	27"	30"	33"	36"
RAILING LENGTH	✓	✓	48'	32'	16'




BRACKET & COVER SYSTEM


07R






GLASS HEIGHT	30"	33"	36"	39"	42"
RAILING LENGTH	✓	✓	✓	48'	36'








BRACKET & COVER SYSTEM


GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	48'	32'	16'
















BRACKET & COVER SYSTEM







GLASS HEIGHT	30"	33"	36"	42"	48"
RAILING LENGTH	✓	✓	✓	✓	48'










CONTINUOUS PROFILE


8B





GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	36'	30'	16'













GLASS HEIGHT	33"	36"	42"	48"
RAILING LENGTH	✓	✓	✓	✓












CONTINUOUS PROFILE


4A

GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	36'	30'	16'














CONTINUOUS PROFILE


8E





GLASS HEIGHT	30"	36"	39"	42"
RAILING LENGTH	✓	✓	48'	39'






CONTINUOUS PROFILE


4B






GLASS HEIGHT	24"	30"	33"	36"	39"
RAILING LENGTH	✓	✓	48'	39'	26'







8A

GLASS HEIGHT	30"	33"	36"	39"	42"
RAILING LENGTH	✓	✓	48'	26'	16'












CONTINUOUS PROFILE


24







GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	48'	32'	26'










CONTINUOUS PROFILE


4C





GLASS HEIGHT	24"	27"	30"	33"	36"
RAILING LENGTH	✓	✓	48'	36'	32'






CONTINUOUS PROFILE


09







GLASS HEIGHT	24"	27"	30"	33"
RAILING LENGTH	48'	32'	26'	16'











CONTINUOUS PROFILE


29





GLASS HEIGHT	24"	27"	30"	33"
RAILING LENGTH	48'	36'	26'	16'











GLASS HEIGHT	30"	33"	36"	39"	42"
RAILING LENGTH	✓	✓	48'	32'	16'






CONTINUOUS PROFILE


8D





GLASS HEIGHT	30"	33"	36"	39"	42"
RAILING LENGTH	✓	✓	48'	32'	16'






CONTINUOUS PROFILE


26







Glass Height	30"	33"	36"	42"
Railing Length	✓	✓	32'	26'










CONTINUOUS PROFILE


10





GLASS HEIGHT	24"	30"	33"	36"
RAILING LENGTH	✓	48'	32'	16'






10A


CONTINUOUS PROFILE













VRL10A 01 BR



VRL10A 02 EC



GLASS HEIGHT	24"	30"	33"	36"
RAILING LENGTH	✓	48'	32'	16'


CONTINUOUS PROFILE


14







Glass Height	30"	33"	36"	42"
Railing Length	✓	✓	✓	32'










CONTINUOUS PROFILE


15






GLASS HEIGHT	30"	33"	36"	39"	42"
RAILING LENGTH	✓	✓	48'	36'	24'







5A T BL

GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	48'	32'	26'










BRACKETS SYSTEM

28 BL









GLASS HEIGHT	30"	33"	36"	39"	42"
RAILING LENGTH	✓	48'	30'	25'	16'


BRACKETS SYSTEM




06 BL



GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	48'	32'	26'







BRACKETS SYSTEM

SP01









GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	36'	30'	16'


BRACKETS SYSTEM


27 BL





GLASS HEIGHT	27"	30"	33"	36"	42"
RAILING LENGTH	✓	✓	48'	32'	16'







BRACKETS SYSTEM



SPO2








GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	36'	30'	16'

BRACKETS SYSTEM










GLASS HEIGHT	24"	30"	33"	36"	42"
RAILING LENGTH	✓	✓	✓	✓	48'





BRACKETS SYSTEM

SP04










GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	36'	30'	16'


BRACKETS SYSTEM

SP05









GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	36'	30'	16'


BLOCK SYSTEM


11 BL





GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	36'	30'	16'






BLOCK SYSTEM


4C BL





GLASS HEIGHT	24"	27"	30"	33"	36"
RAILING LENGTH	✓	✓	48'	36'	32'






BLOCK SYSTEM


09 BL





GLASS HEIGHT	24"	27"	30"	33"
RAILING LENGTH	48'	32'	26'	16'






BLOCK SYSTEM


13 BL





GLASS HEIGHT	30"	33"	36"	39"	42"
RAILING LENGTH	✓	✓	48'	32'	16'







BLOCK SYSTEM






GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	38'	32'	16'









BLOCK SYSTEM








GLASS HEIGHT	30"	33"	36"	42"
RAILING LENGTH	✓	36'	30'	16'



Hand Rail & Accessories




HR7030
RECTANGLE



BEND




WALL CONCEAL



CONNECTOR



ENDCAP




HR7030
RECTANGLE DUAL SIDE LED



BEND




WALL CONCEAL



CONNECTOR



ENDCAP



HR8238
INCLINED



BEND




WALL CONCEAL



CONNECTOR



ENDCAP




HR8238 LED
INCLINED LED



BEND



WALL CONCEAL




CONNECTOR



ENDCAP

Hand Rail & Accessories



HR4040

SQUARE



BEND




WALL CONCEAL



CONNECTOR



ENDCAP



HR5040

CURVED



BEND




WALL CONCEAL



CONNECTOR



ENDCAP



HR7035

WITHOUT LED



BEND




WALL CONCEAL



CONNECTOR




ENDCAP



HR7035

LED



BEND



WALL CONCEAL



CONNECTOR




ENDCAP

Hand Rail & Accessories




HR7030
RECTANGLE



BEND




WALL CONCEAL



CONNECTOR



ENDCAP




HR7030
RECTANGLE DUAL SIDE LED



BEND




WALL CONCEAL



CONNECTOR



ENDCAP



HR8238
INCLINED



BEND




WALL CONCEAL



CONNECTOR



ENDCAP




HR8238 LED
INCLINED LED



BEND



WALL CONCEAL




CONNECTOR



ENDCAP

Hand Rail & Accessories



HR4040

SQUARE



BEND




WALL CONCEAL



CONNECTOR



ENDCAP



HR5040

CURVED



BEND




WALL CONCEAL



CONNECTOR



ENDCAP



HR7035

WITHOUT LED



BEND




WALL CONCEAL



CONNECTOR




ENDCAP



HR7035

LED



BEND



WALL CONCEAL




CONNECTOR



ENDCAP

Hand Rail & Accessories




HR7030
CAPSULE


BEND


WALL CONCEAL


CONNECTOR


ENDCAP



HR65
ROUND


BEND


WALL CONCEAL


CONNECTOR



ENDCAP




HR5530
MINI OVAL


BEND


WALL CONCEAL


CONNECTOR


ENDCAP



HR5050
SQUARE


BEND


WALL CONCEAL


CONNECTOR


ENDCAP

Hand Rail & Accessories



HR6540
OVAL


BEND


WALL CONCEAL


CONNECTOR


ENDCAP





HR6050
DIAMOND


BEND


WALL CONCEAL


CONNECTOR


ENDCAP




HR6040
RECTANGLE


BEND


WALL CONCEAL


CONNECTOR


ENDCAP



HR6540
TRIANGLE


BEND


WALL CONCEAL


CONNECTOR


ENDCAP

Hand Rail & Accessories



HR2525
SQUARE



BEND




WALL CONCEAL



CONNECTOR



ENDCAP



HR38
ROUND



BEND



WALL CONCEAL



CONNECTOR



ENDCAP



HR3540
MINI TRIANGLE



BEND




WALL CONCEAL



CONNECTOR



ENDCAP



HR7040
ELLIPSE



BEND



WALL CONCEAL



CONNECTOR



ENDCAP

Hand Rail & Accessories



HR50
ROUND


BEND


WALL CONCEAL



CONNECTOR


ENDCAP



HR1719
SLIM


WALL CONCEAL


ENDCAP




50MM
FULL ROUND


MODULAR BEND


WALL CONCEAL


CONNECTOR


ENDCAP



50X50
FULL SQUARE


MODULAR BEND


WALL CONCEAL


CONNECTOR


ENDCAP

Hand Rail & Accessories



38MM
FULL ROUND



MODULAR BEND



WALL CONCEAL



CONNECTOR



ENDCAP



40X40
FULL SQUARE



MODULAR BEND



WALL CONCEAL



CONNECTOR



ENDCAP



DESIGN
ARCHITECTURAL



A CREATIVE PRODUCTS

TOP MOUNTED ROUND & SQUARE SERIES











VRS 103
3K - T



VRS 103
4K - S



VRS 103
KB - T



VRS 103
SB - T



VRS 103
FB - T



VRS 107
2K - T



VRS 107
3K - S



VRS 107
KB - T



VRS 107
SB - T



VRS 107
FB - T





VRS 120
3K - T



VRS 120
4K - S



VRS 120
KB - T



VRS 120
SB - T



VRS 120
FB - T





VRS 101
2K - T



VRS 101
4K - T



VRS 101
3K - S



VRS 101
KB - T



VRS 101
FB - T

TOP MOUNTED FLAT BAR SERIES











VRS 117
3K - T



VRS 117
SB - T



VRS 117
FB - S



VRS 117
KB - T



VRS 117
FB - T



VRS 116
FB - T



VRS 116
SB - T



VRS 119
SPIDER - T



VRS 118
FB - T



VRS 120
SPIDER - T





VRS 117 - PR



VRS 117
AD - KB



VRS 1030
SB - T



VRS 1070
3K - T



VRS 1020
4K - T

WOOD GALLERY







VRW 103
3K - T



VRW 103
4K - T



VRW 107
2K - T



VRW 107
3K - T





VRW 107
4K - T



VRW 107
SB - T



VRW 107
FB - T - P



VRW 107
SB - T - HR





VRW 120
SB - T - C



VRW 120
SB - T - P



VRW 120
SB - T - HR



VRW 101
KB - T - HR





VRW 101
3K - T - HR



VRW 101
2K - T - C



VRW 101
KB - T - C



VRW 302
3K - T



VRW 450
KB - T - CP



VRW 460
3K - T



VRW 470
KB - T



VRW 480
2K - T



VRW 107
3K - T - C



VRW 303
3K - T



VRW 304
SB - T



VRW 305
3K - T



VRW 410
3K - T



VRW 420
KB - T





VRW 313
2K - T



VRW 313
FB - T



VRW 312
SB - T



VRW 312
KB - T



VRW 312
4K - T



Frameless Glass Gallery



VRS 208





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 209





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 210





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 211





SS MATT FINISH




ROSE GOLD FINISH



GOLD FINISH



BLACK FINISH



SIDE MOUNT

VRS 212





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 213





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 214





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 215





SS MATT FINISH




ROSE GOLD FINISH



GOLD FINISH



BLACK FINISH



TOP MOUNT

VRS 216





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 224





SS MATT FINISH




ROSE GOLD FINISH



GOLD FINISH



BLACK FINISH



TOP MOUNT

VRS 219





SS MATT FINISH



ROSE GOLD FINISH



GOLD FINISH



BLACK FINISH



SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 220





SS MATT FINISH



ROSE GOLD FINISH



GOLD FINISH



BLACK FINISH



SS MATT FINISH




ROSE GOLD FINISH



GOLD FINISH



BLACK FINISH



TOP MOUNT

VRS 223





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

VRS 221





SS MATT FINISH




ROSE GOLD FINISH



GOLD FINISH



BLACK FINISH



TOP MOUNT

VRS 222





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





SIDE MOUNT

VRS 225





SS MATT FINISH




ROSE GOLD FINISH




GOLD FINISH



BLACK FINISH





TOP MOUNT

FRAMELESS GLASS DESIGNS



VRS 203



VRS 204



VRS 205



VRS 206



VRS 217



VRS 203 (S)



VRS 206 (S)



VRS 217 (S)



VRS 218



VRS 218 (SQ)

SIDE MOUNT|TOP MOUNT

FRAMELESS GLASS DESIGNS



VRS 201
38mm Ø I 50mm Ø



VRS 203 (H)
SPIGOT



VRS 205 (SP)
SPIGOT



VRS 207
SPIGOT



VRS 207 (L)
SPIGOT



VRS 218 (MC)
SPIGOT



VRS 304 (S)
SPIGOT



VRS 304 (SQ)
SPIGOT



VRS 304 (ST)
SPIGOT



VRS 304 (CF)
SPIGOT



VRS 304
SPIGOT



VRS 304
ST(BL) SPIGOT



VRS 304
EF(BL) SPIGOT



VRS 304(R)
SPIGOT



VRS 304 (V)
SPIGOT



VRS 304 (FL)



PROFILE



ROUND (D)
BRACKET



SQUARE (D)
BRACKET

ACESSORIES

GLASS BRACKET



"T" TYPE



"SQUARE" TYPE



PROFILE



RING "C" TYPE
38mm Ø I 50mm Ø



"HOCKEY" TYPE



"C" TYPE



"L" TYPE



SQUARE "C" TYPE



SLIM “C” TYPE

GLASS JULLA



38R



40 X 40
SQUARE



50R

GLASS CONECTOER



90°



180°

WALL BRACKET



"T" TYPE




"C" TYPE




"L" TYPE

HANDRAIL AND ACCESSORIES

Handrail	Modular Bend	90° Bend	Wall Conceal	180° Connecter	End Cap
 VRHR 38R	 VRHR 38R MB	 VRHR 38R 90°	 VRHR 38R WC	 VRHR 38R CN	 VRHR 38R EC
 VRHR 42R	 VRHR 42R MB	 VRHR 42R 90°	 VRHR 42R WC	 VRHR 42R CN	 VRHR 42R EC
 VRHR 50R	 VRHR 50R MB	 VRHR 50R 90°	 VRHR 50R WC	 VRHR 50R CN	 VRHR 50R EC
 VRHR 38SL	 VRHR 38SL MB	 VRHR 38SL 90°	 VRHR 38SL WC	 VRHR 38SL CN	 VRHR 38SL EC
 VRHR 42SL	 VRHR 42SL MB	 VRHR 42SL 90°	 VRHR 42SL WC	 VRHR 42SL CN	 VRHR 42SL EC

HANDRAIL AND ACCESSORIES

Handrail	Modular Bend	90° Bend	Wall Conceal	180° Connecter	End Cap
 VRHR 50SL	 VRHR 50SL MB	 VRHR 50SL 90°	 VRHR 50SL WC	 VRHR 50SL CN	 VRHR 50SL EC
 VRHR 40X40 SQ	 VRHR 40X40 SQ MB	 VRHR 40X40 SQ 90°	 VRHR 40X40 SQ WC	 VRHR 40X40 SQ CN	 VRHR 40X40 SQ EC
 VRHR 40X40 SL	 VRHR 40X40 SL MB	 VRHR 40X40 SL 90°	 VRHR 40X40 SL WC	 VRHR 40X40 SL CN	 VRHR 40X40 SL EC
 VRHR 50X50 SQ	 VRHR 50X50 SQ MB	 VRHR 50X50 SQ 90°	 VRHR 50X50 SQ WC	 VRHR 50X50 SQ CN	 VRHR 50X50 SQ EC
 VRHR 50X50 SL	 VRHR 50X50 SL MB	 VRHR 50X50 SL 90°	 VRHR 50X50 SL WC	 VRHR 50X50 SL CN	 VRHR 50X50 SL EC

PRODUCT CATALOG



ALL TYPE RAILING ACCESSORIES



A-101

SPIGOT

HEIGHT : 4”



A-102

SPIGOT

HEIGHT : 4” 6” 8”



A-103

SS SPIGOT STAIRCASE

HEIGHT : 9” 11”



A-104

ROUND SPIGOT

HEIGHT : 4” 6”



A-105

SPIGOT

HEIGHT : 12”



A-201

GLASS CONNECTOR
(L-TYPE)

HEIGHT : 20 x 65
WISER : 38 mm

ALL TYPE RAILING ACCESSORIES



A-202

GLASS CONNECTOR (C TYPE)

SIZE : 50, 38 mm



A-203

GLASS CONNECTOR (HOCKEY TYPE)



A-251

MODULAR BAND (ROUND)


SIZE : 50, 38 mm (ROUND)



A-252

MODULAR BEND (SQUARE)

SIZE : 40 x 40 mm
50 x 50 mm



A-301

POINT FITTING

SIZE : 50, 38 mm




A-302

Point Fitting

Size: 38, 50 mm
Glossy - Gold - Rose Gold





INNOVATIVE GLASS **RALLING SYSTEMS**

ERFECT BALANCE OF STRENGTH AND **ELEGANCE**











STEP BRACKET AND COVER ARB - 001

Essential

Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Square Bracket (65mm) Square Cover (13ft,16 Ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft		
42 inch	10 ft			

Bracket will be fitted at every 2 feet

ELEGANCE
IN
EVERY RAILING






Glass : 12mm

Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft	30 ft	
42 inch	10 ft			

Bracket will be fitted at every 2 feet

STRENGTH
MEETS
STYLE





STEP BRACKET AND COVER ARB - 002

Essential

Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Square Bracket (65mm) Square Cover (13ft./16 Ft.)epdm: 0.030 Gm. (1 Ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating



REGULAR FERI ARB - 003

Essential

Type : Continuous Profile System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft/16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft		
42 inch	10 ft			

Anchor & Wedge Will Be Fitted At Every 2 Feet


SAFETY WITH SOPHISTICATION






Glass : 12mm				
Recommanded Railing Length Chart				
Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft		
42 inch	10 ft			
Anchor & Wedge Will Be Fitted At Every 2 Feet				

REDEFINE
YOUR
SPACE








MODULAR FERI ARB - 004

Essential

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft / 18 ft
Epdm	: 0.150 gm. (1 ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating



COMMERCIAL FERI - ARB 05

Essential

Type : Continuous Profile System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft/16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length		
24 inch	10 ft	20 ft	30 ft
30 inch	10 ft	20 ft	
36 inch	10 ft		
42 inch			

Anchor & Wedge Will Be Fitted At Every 2 Feet

ELEVATE
YOUR
SPACE





Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft		
42 inch	10 ft			

Anchor & Wedge Will Be Fitted At Every 2 Feet

PRECISION CRAFTED ELEGANCE







TRIANGLE FERI - ARB 06

Essential

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Epdm	: 0.140 gm. (1 ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating



60X30 CONCILE CONTINUE BOTTOM ARB - 007

Essential

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft/16 ft.
Epdm	: 0.130 gm. (1 ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	
36 inch	10 ft	20 ft		
42 inch				

Anchor & Wedge Will Be Fitted At Every 2 Feet


DESIGNED FOR PERFECTION







Glass : 12mm				
Recommanded Railing Length Chart				
Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	
36 inch	10 ft	20 ft		
42 inch				
Anchor & Wedge Will Be Fitted At Every 2 Feet				

A TOUCH
OF
SOPHISTICATION








60X30 CONTINUE BOTTOM ARB - 008

Essential

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Epdm	: 0.130 gm. (1 ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating



80X37 CONTINUE BOTTOM ARB - 009

Essential

Type : Continuous Profile System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft/16 ft.
Epoim : 0.180 gm. (1 ft.)
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft	30 ft	
42 inch	10 ft	20 ft		

Anchor & Wedge Will Be Fitted At Every 2 Feet

STRENGTH WITH ELEGANCE






Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft	30 ft	Unlimited
42 inch	10 ft	20 ft	30 ft	

Anchor & Wedge will be fitted at every 2 feet

INNOVATION
MEETS
ELEGANCE







100X37 CONTINUE BOTTOM ARB - 010

Essential

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Epdm	: 0.240 gm. (1 ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating



117X45 CONTINUE BOTTOM ARB - 011

Essential

Type : Continuous Profile System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft/16 ft.
Epdm : 0.240 gm. (1 ft.)
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft	30 ft	Unlimited
42 inch	10 ft	20 ft	30 ft	

Anchor & Wedge Will Be Fitted At Every 2 Feet

SECURE
YOUR SPACE
IN STYLE






Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft	30 ft	
42 inch	10 ft	20 ft		

Anchor & Wedge Will Be Fitted At Every 2 Feet

BEYOND
ORDINARY
RAILINGS







90X50 CONTINUE BOTTOM ARB - 012

Essential

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Epdm	: 0.230 gm. (1 ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating



90X50 CONTINUE BOTTOM LED ARB - 013

Essential

Type : Continuous Profile System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft/16 ft.
Epoim : 0.230 gm. (1 ft.)
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft	30 ft	
42 inch	10 ft	20 ft		

Anchor & Wedge Will Be Fitted At Every 2 Feet


REDEFINING
HOME
AESTHETICS






Glass : 12mm, 16mm				
Recommanded Railing Length Chart				
Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft	30 ft	Unlimited
42 inch	10 ft	20 ft	30 ft	Unlimited
Anchor & Wedge Will Be Fitted At Every 2 Feet				

ELEVATE
EVERY
STEP







120X60 CONTINUE BOTTOM ARB - 014

Essential

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Epdm	: 0.160 gm. (1 ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating



125X70 CONTINUE BOTTOM ARB - 015

Essential

Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 10 ft / 12 ft
Epdm	: 0.190 gm. (1 ft.)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm, 16mm, 18mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	Unlimited
36 inch	10 ft	20 ft	30 ft	Unlimited
42 inch	10 ft	20 ft	30 ft	

Anchor & Switch Will Be Fitted At Every 2 Feet

SECURE
SLEEK
STUNNING






Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	
36 inch	10 ft	20 ft		
42 inch	10 ft			

Bracket will be fitted at every 2 feet

RAILING
REDEFINED
PERFECTLY







V - BRACKET ARB - 016

Essential

Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Bracket (55mm)
Finish	: Natural / Anodize / Powder Coating / Wooden Coating



T - BRACKET ARB - 017

Essential

Type : Bracket System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : Bracket (85mm)
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Glass : 12mm


Recommanded Railing Length Chart

Glass Height	Balcony Length			
24 inch	10 ft	20 ft	30 ft	Unlimited
30 inch	10 ft	20 ft	30 ft	
36 inch	10 ft	20 ft		
42 inch	10 ft			

Bracket will be fitted at every 2 feet

DESIGNED
FOR
ELEGANCE








MODERN
RAIL
PERFECTION



SPIGOT 5 INCH ARP - 001

Essential

Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 5 Inch
Finish	: Natural / Powder Coating / Wooden Coating





SPIGOT 6 INCH ARP - 002

Essential

Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 6 Inch
Finish	: Natural / Powder Coating / Wooden Coating



STRENGTH
MEETS
BEAUTY




SPIGOT 8 INCH ARP - 003

Essential

Type	: Spigot System
Use	: Indoor & Outdoor (Stair)
Material	: Aluminium Alloy 6063-T6
Length	: 8 Inch
Finish	: Natural / Powder Coating / Wooden Coating





SPIGOT 9 INCH ARP - 004


Essential

Type	: Spigot System
Use	: Indoor & Outdoor (Stair)
Material	: Aluminium Alloy 6063-T6
Length	: 9 Inch
Finish	: Natural / Powder Coating / Wooden Coating


40X40 TOP ART - 001

Essential

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating



Wall Cancealed | Connector | Elbow | End Cap




UNMATCHED
DURABILITY
ASSURED


40X40 CURVED ART - 002

Essential

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating




Wall Cancealed | Connector | Elbow | End Cap




50X50 TOP ART - 003


Essential

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating





SEAMLESS
SECURE
AESTHETICS




50MM ROUND ART - 004

Essential

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating






25X25 MM TOP ART - 005

Essential

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Wall Cancealed



Connector


Elbow


End Cap



ELEVATE
YOUR
STANDARDS



DIAMOND PIPE ART - 006

Essential


Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating



Wall Cancealed


Connector


Elbow


End Cap






70X35 TOP ART - 007

Essential


Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating



Wall Cancealed Connector Elbow End Cap



TIMELESS
METAL
ELEGANCE




70X35 LED TOP ART - 008

Essential

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating



Wall Cancealed Connector Elbow End Cap




INCLINED TOP ART - 009

Essential

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating



Wall Cancealed Connector Elbow End Cap




SINGLE LED TOP ART - 010

Essential

Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating



Wall Cancealed Connector Elbow End Cap



STAR PIPE ART - 011

Essential


Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Weight : 0.220/0.240 gm. (1 ft.) EPDM Gasket (Appro 0.080 kg/ft)
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Wall Cancealed



Connector


Elbow


End Cap



PERFECTION
IN
EVERY INCH




OVAL TOP ART - 012

Essential


Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating


Wall Cancealed


Connector


Elbow


End Cap




SINGLE LED TOP ART - 013

Essential


Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating



Wall Cancealed Connector Elbow End Cap




ULTIMATE
SAFETY
SOLUTION




TRIANGLE TOP ART - 014

Essential


Type : Handrail System
Use : Indoor & Outdoor
Material : Aluminium Alloy 6063-T6
Length : 13 ft./16 ft.
Finish : Natural / Anodize / Powder Coating / Wooden Coating



Wall Cancealed Connector Elbow End Cap



REDEFINE
YOUR
SPACE



HANDICRAFTS

Handicrafts is a promising organization which produces Home Decorative,Furniture and Lifestyle products. Our unique collections of home products are inspired by the business sector which has impressed people and the entire world with its grace. The simplicity and charisma of our product lines are generated with variety of creative resources and presents the real essence of an artisans work.



SERVICES

- All kind of steel work
- All kind of painting
- All kind of pvd work
- Steel glazing
- Aluminium Composite
- Aluminium panel work
- Design partition
- Stainless Steel Railing
- Ss Pvd Coated Racks
- Steel & Iron Gate etc.




SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT

- COMPANY : A.B.M. HANDICRAFTS
- LOCATED AT : MORADABAD
- SINCE : 2008
- GST NO : 09FOKPM9131R1ZW
- COUNTRY OF ORIGIN : INDIA



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT


- COMPANY : A.B.M. HANDICRAFTS
- LOCATED AT : MORADABAD
- SINCE : 2008
- GST NO : 09FOKPM9131R1ZW
- COUNTRY OF ORIGIN : INDIA



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304


- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304


- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304


- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304


- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304


- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304


- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304


- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304


- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING

- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT



SS PVD COATED RAILING


- DIMENSIONS : CUSTOMISABLE
- WEIGHT : DEPEND ON MATERIAL
- COLOUR : CUSTOMISABLE
- MATERIAL : STAINLESS STEEL
- SS GRADE : 304

- COATING : GOLD / CUSTOMISABLE
- SHAPE : CUSTOMISABLE
- DESIGN : CUSTOMISABLE
- WARRANTY : 10 YEARS
- USAGE : HOME, MALL, RESTAURANT

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Tower Bracket SRB-04


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch
Weight	: 0.380 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Round Bracket SRB-05


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch
Weight	: 0.530 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety


Weather proof | Maintenance free | 100% Recyclable





V-Bracket SRB-06


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch
Weight	: 0.400 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





V-Bracket 2 SRB-06


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch
Weight	: 0.430 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Diamond Bracket SRB-07


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch
Weight	: 0.700 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





T-Bracket SRB-08


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch
Weight	: 0.440 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Leaf Bracket SRB-09


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 6 Inch
Weight	: 0.740 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Cell Bracket SRB-10


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 6 Inch
Weight	: 1.020 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Point Bracket SRB-11

Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Size	: 38 mm, 50 mm
Finish	: Grey, Wooden, Black Coating Finish

Aluminium Spigot



a LARGEST RANGE of

'FRAMELESS, GLASS Railing System



Architecture Railing

F Bracket System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.


Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Star F-Bracket SRB-01


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 10 Inch
Weight	: 0.630 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Six Part Bracket SRB-02


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 11.5 Inch
Weight	: 0.520 gm.
Finish	: Grey, Wooden, Black Coating


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Radius F-Bracket SRB-03


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 11 Inch
Weight	: 0.600 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Round F-Bracket SRB-04


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 11.5 Inch
Weight	: 0.500 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Triangle F-Bracket SRB-04


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 11.5 Inch
Weight	: 0.630 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Heavy Square F-Bracket SRB-05

Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 9 Inch
Weight	: 1.120 gm.
Finish	: Grey, Wooden, Black Coating Finish



Architecture Railing Spigot System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.


Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Trophy Spigot SRS-01


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 9 Inch
Weight	: 0.850 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety


Weather proof | Maintenance free | 100% Recyclable





Triangle Spigot SRS-02


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 9 Inch
Weight	: 1.000 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety


Weather proof | Maintenance free | 100% Recyclable





Alligator Spigot SRS-03


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 9 Inch
Weight	: 0.980 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Taper Round Spigot SRS-04


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 9 Inch
Weight	: 0.950 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Hexa Plate Spigot SRS-05

Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 0.700 gm.
Finish	: Grey, Wooden, Black Coating Finish



Architecture Spigot System


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





50 X 40 Square Spigot SRS-07


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 0.840 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





40 X 40 Square Spigot SRS-08


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 0.720 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Oval Spigot SRS-09


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 1.200 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Round Spigot SRS-10


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 0.950 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Square Spigot SRS-11


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 1.160 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety


Weather proof | Maintenance free | 100% Recyclable





Six Part Spigot SRS-12


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 1.160 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Square Plate Spigot SRS-13


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 0.950 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





New Round Spigot SRS-14


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 6 Inch, 10 Inch
Weight	: 1.050 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Square Tower Spigot SRS-15


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 6 Inch, 10 Inch
Weight	: 1.050 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety


Weather proof | Maintenance free | 100% Recyclable





Hexa Tower Spigot SRS-16


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 6 Inch, 10 Inch
Weight	: 0.880 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Rocket Spigot SRS-17


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 10 Inch
Weight	: 0.670 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Square Round Spigot SRS-18


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Size	: 5 Inch, 9 Inch
Weight	: 0.940 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety


Weather proof | Maintenance free | 100% Recyclable





Small Oval Spigot SRS-19


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch, 6 Inch, 9 Inch
Weight	: 0.710 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Galaxy Spigot SRS-19


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 9 Inch
Weight	: 1.200 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Half Round Spigot SRS-19


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 9 Inch
Weight	: 0.920 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Long Square Spigot SRS-19


Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 9 Inch
Weight	: 1.080 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Spigot System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Tower Spigot SRS-19

Type	: Spigot System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 10 Inch
Weight	: 1.080 gm.
Finish	: Grey, Wooden, Black Coating Finish



Architecture Railing Bracket System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.


Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





Pyramid Bracket SRB-01


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Size	: 4 Inch, 6 Inch
Weight	: 0.440 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety


Weather proof | Maintenance free | 100% Recyclable





Kite Bracket SRB-02


Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 6 Inch
Weight	: 0.360 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable





D-Bracket SRB-03

Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium
Glass	: 12 mm
Height	: 4 Inch
Weight	: 0.480 gm.
Finish	: Grey, Wooden, Black Coating Finish


Architecture Bracket System

Aluminium Series




a LARGEST RANGE of
'FRAMELESS, GLASS Railing System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

38 X 38 mm Star Pipe - SRT 27







Wall Cancealed	Connector	Elbow	End Cap
			

Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.220/0.240 gm. (1 ft.) EPDM Gasket (Approx 0.080 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

50 X 40 mm Pipe - SRT 28





Wall Cancealed	Connector	Elbow	End Cap
			


Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.250/0.270 gm. (1 ft.) EPDM Gasket (Approx 0.080 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

60 X 40 mm Four Part - SRT 29







Wall Cancealed	Connector	Elbow	End Cap
			

Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.290/0.320 gm. (1 ft.) EPDM Gasket (Approx 0.090 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

70 X 30 mm Four Part - SRT 30





Wall Cancealed	Connector	Elbow	End Cap
			

Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.300/0.330 gm. (1 ft.) EPDM Gasket (Approx 0.090 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

38 X 38 mm Redius - SRT 31






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.230/0.250 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

45 X 45 mm Redius Pipe - SRT 32





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.270/0.290 gm. (1 ft.) EPDM Gasket (Approx 0.090 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

65 X 38 mm Crystal Diamond - SRT 33






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.330 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Flower - SRT 34





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.350 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize


Architecture I Connector System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

L Connector for Plain Handrail



FSP 35 A



FSP 35 B



FSP 35 A



FSP 35 B



FSP 35 C



FSP 35 A



FSP 35 B



FSP 35 C



Architecture Plain Pipe System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Plain Pipe

40 x 40 mm




40 X 40 mm

Weight : (Approx 0.180/0.200 gm.)

50 X 50 mm

Weight : (Approx 0.210/0.230 kg.)

50 x 50 mm



38 mm




38 mm

Weight : (Approx 0.130/0.150 gm.)


50 mm

Weight : (Approx 0.180/0.210 kg.)

50 mm









38 X 38 mm Octagon


Weight : (Approx 0.150/0.170 gm.)

45 X 45 mm Octagon

Weight : (Approx 0.190/0.290 kg.)







38 X 38 mm Redius

Weight : (Approx 0.230/0.250 gm.)

45 X 45 mm Redius

Weight : (Approx 0.270/0.290 kg.)


Architecture Elbow System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Elbow


40 mm Round




50 mm Round



38 x 38 mm Octagon



45 x 45 mm Octagon



32 x 32 mm Square



40 x 40 mm Square



50 x 50 mm Square



38 x 38 mm Redius



45 x 45 mm Redius



Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Connector Patti

Straight Connector Patti



L-connector Patti



Modular Connector Patti



Steel Anchor

SR-1 |



SR-2 |



SR-3 |



SR-4 |



SR - 1 (10 x 100 Rcc PVC Wall Plug Screw Anchor)

SR - 2 (12.5 x 100 Steel Anchor)

SR - 3 (12.5 x 75 Steel Anchor)

SR - 4 (10 x 75 Steel Anchor)

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable


55 X 30 mm Mini Oval - SRT 25






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.300 gm. (1 ft.) EPDM Gasket (Approx 0.060 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

45 X 45 mm Star Pipe - SRT 26





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.260/0.290 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Railing

Step Bracket & Cover System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.

Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.



Architecture Step Bracket & Cover System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable


Step Bracket & Cover - SRB 01







Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Step Bracket (65mm) Step Cover (13 ft./16 ft.)
Weight	: Step Bracket (Approx 0.460 gm.) Step Cover (Approx 0.200/0.220 gm.) (1 ft. / 1 side)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Step Bracket & Cover System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Square Bracket & Cover - SRB 02







Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Square Bracket (65mm) Square Cover (13 ft./16 ft.)
Weight	: Square Bracket (Approx 0.250 gm.) Square Cover (Approx 0.180 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize




Architecture Step Bracket & Cover System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

New Step Bracket & Cover - SRB 03







Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Step Bracket (65mm) Step Cover (13 ft./16 ft.)
Weight	: Heavy Bracket (Approx 0.240 gm.) Heavy Cover (Approx 0.180/0.200 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Step Bracket & Cover System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

New Step Bracket & Cover - SRB 04







Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Heavy Bracket (65mm) Heavy Cover (13 ft./16 ft.)
Weight	: Heavy Bracket (Approx 0.240 gm.) Heavy Cover (Approx 0.170/0.190 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Step Bracket & Cover System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Heavy Round Bracket & Cover - SRB 05







Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Round Bracket (65mm) Round Cover (13 ft./16 ft.)
Weight	: Round Bracket (Approx 0.480 gm.) Round Cover (Approx 0.220/0.240 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Step Bracket & Cover System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Heavy Square Bracket & Cover - SRB 06







Type	: Bracket & Cover System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Heavy Sqaure Bracket (65mm) Heavy Sqaure Cover (13 ft./16 ft.)
Weight	: Heavy Sqaure Bracket (Approx 0.480 gm.) Heavy Sqaure Cover (Approx 0.200/0.220 gm.) (1 ft. / 1 side)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Railing

Continues Profile System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.

Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.



Architecture Continues Profile System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Regular Feri - SRB 07







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.780/0.800 gm.) (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Commercial Feri - SRB 08







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.500/0.530 gm.) (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Modular Feri - SRB 09







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.580/0.630 gm.) (1 ft.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Triangle Feri - SRB 10







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.600/0.640 gm.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Step Feri - SRB 11







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.580/0.600 gm.) (1 ft.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Clip Feri - SRB 12







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.850/0.900 gm.)
Epdm	: 0.020 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

30X40 Continues Channel - SRB 13







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.400/0.440 gm.)
Epdm	: 0.060 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

58X32 Continues Channel - SRB 14







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.630/0.660 gm.)
Epdm	: 0.080 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

80X37 Continues Channel - SRB 15







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.900/0.930 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

100X45 Continues Channel - SRB 16







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.290/1.330 kg.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

117X46 Continues Channel - SRB 17







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 12 ft.
Weight	: (Approx 1.670/1.700 kg.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

125X70 Continues Channel - SRB 18







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 12 ft.
Weight	: (Approx 1.700/1.730 kg.)
Epdm	: 0.150 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

120X60 Continues Channel - SRB 19







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.520/1.550 kg.)
Epdm	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Modular Step Bracket & Cover - SRB 20







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 12 ft.
Weight	: Continues Profile (1.430/1.480 gm.) (1 ft.)
Epdm	: 0.060 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

90X50 Continues Channel - SRB 21







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.900/0.950 gm.)
Epdm	: 0.120 gm.
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable


Side Mouted Profile - SRB 22







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 1.850/1.880 gm.)
Epdm	: 0.130 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

140X90 Heavy Bottom - SRB 23







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 2.500/2.800 gm.)
Epdm	: 0.180 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Continues Profile System

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

90X40 Continues LED Channel - SRB 24







Type	: Continuous Profile System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: (Approx 0.900/0.950 gm.)
Epdm	: 0.120 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Railing Bracket System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.

Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.

Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.



Architecture Step Bracket System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Step Cover Bracket - SRR 01







Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Bracket (65mm)
Weight	: Bracket (Approx 0.680 gm.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Step Bracket System


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Feri Bracket - SRR 02







Type	: Bracket System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: Bracket (75mm)
Weight	: Feri Bracket (Approx 0.220 gm.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize



Architecture Railing Pipe System

Material Compatibility: Made of high-strength aluminum alloy, often the same grade as the profiles they are used with.

Easy Assembly: Most fittings are designed for quick and easy assembly using standard bolts, screws, or nuts.


Corrosion Resistance: Aluminum's natural corrosion resistance makes these fittings suitable for indoor and outdoor use.

Customizability: Some fittings can be custom-made to suit specific profile sizes or design requirements.

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

38 mm Round - SRT 01





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.190 gm. (1 ft.) EPDM Gasket (Approx 0.055 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

50 mm Round - SRT 02






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.290 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

65 mm Round - SRT 03






Wall Cancealed	Connector	Elbow	End Cap










Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.460 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Slim Pipe 17 X19 mm - SRT 04





Wall Cancealed	Connector	Elbow








Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.110 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

25 X 25 mm Top - SRT 05





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.190 gm. (1 ft.) EPDM Gasket (Approx 0.055 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

32 X 32 mm Top - SRT 06





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.180 gm. (1 ft.) EPDM Gasket (Approx 0.080 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

40 X 40 mm Top - SRT 07





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.240/0.260 gm. (1 ft.) EPDM Gasket (Approx 0.85 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

50 X 50 mm Top - SRT 08





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.330/0.350 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable


60 X 40 mm Rectengle Top - SRT 09





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.390/0.420 gm. (1 ft.) EPDM Gasket (Approx 0.120 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

65 X 35 mm Top - SRT 10






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.440/0.450 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable


Incline 80 X 37 mm - SRT 11





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.340/0.380 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Incline LED - SRT 12






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.400 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

Capcule 35 X 70 mm - SRT 13





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.350 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

65 X 40 mm Triangle - SRT 14






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.330 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

35 X 40 mm Commercial - SRT 15






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.250 gm. (1 ft.)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

50 X 50 mm LED Pipe - SRT 16






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.420 gm. (1 ft.) EPDM Gasket (approx 0.100/0.110/feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

50 X 50 mm Side LED - SRT 17





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.400 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

70 X 35 mm 1 Side LED - SRT 18






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.400 gm. (1 ft.) EPDM Gasket (Approx 0.070 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

70 X 35 mm Without LED - SRT 19






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.400 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

70 X 30 mm 2 Side LED - SRT 20





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.380 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize


Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

70 X 35 mm Without LED - SRT 21




Wall Cancealed	Connector	Elbow	End Cap






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.360 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

70 X 36 mm Eye Pipe - SRT 22



Wall Cancealed	Connector	Elbow	End Cap






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.330 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

Easy and perfect installation | Easy Cleaning | Light Weight and Robust for Higher safety

Weather proof | Maintenance free | 100% Recyclable

50 X 50mm Incline - SRT 23






Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.350 gm. (1 ft.) EPDM Gasket (Approx 0.085 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize

60 X 45 mm Diamond Pipe - SRT 24





Type	: Handrail System
Use	: Indoor & Outdoor
Material	: Aluminium Alloy 6063-T6
Length	: 13 ft./16 ft.
Weight	: 0.370/0.390 gm. (1 ft.) EPDM Gasket (Approx 0.110 gm./feet)
Finish	: Mill Finish, Coating Finish, Wood Finish, Anodize